



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/776,963	02/11/2004	Kenneth H. Lubkert	GRD0251.US	3564

7590 12/20/2005

Todd T. Taylor
TAYLOR & AUST, P.C.
142 S. Main St.
P.O. Box 560
Avilla, IN 46710

EXAMINER

DINH, PHUONG K

ART UNIT	PAPER NUMBER
----------	--------------

2839

DATE MAILED: 12/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Supplemental
Office Action Summary

Application No.

10/776,963

Applicant(s)

LUBKERT, KENNETH H.

Examiner

Phuong KT Dinh

Art Unit

2839

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 September 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 7-27 and 29-35 is/are pending in the application.
- 4a) Of the above claim(s) 13-22 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 2, 5, 7-12, 23-27 and 29-35 is/are rejected.
- 7) ☒ Claim(s) 3-4, 25-26 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) The invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-2, 8, 10-12, 23-24, 27, 30, 32, 33-35 are rejected under 35

U.S.C. 102(b) as being anticipated by Russell (U. S. Patent 5,252,086).

3. Regarding claims 1, 23-24, 27, 30, 32, 33-35, Russell, see figures 1-4, 11, 12, discloses a modular wall panel assembly for use in a modular furniture environment comprising: a modular wall panel 22; an electrical receptacle, see figure 1, connected to the modular wall panel 22, the electrical receptacle including a connector having a plurality of connects terminals 91, 223, a plurality of receptacle terminals 234, 235, and at least one jumper 62 providing connection from one of the plurality of receptacle terminals to one of the plurality of connector terminals and receptacle opening at 158, 160 on the electrical receptacle, the jumper 62 being on a side of the electrical receptacle opposite the receptacle opening 158, 160.

4. Regarding claim 2, Russell, see figures 1-4, 11, 12, discloses the connection of one of the plurality of receptacle terminals to one of the plurality of connection terminals is selectable by a placement of the jumper 62.

Art Unit: 2839

5. Regarding claim 8, Russell, see figures 1-4, 11, 12, discloses the at least one jumper 62 is a power infeed to the plurality of receptacle terminals.
6. Regarding claim 10, Russell, see figures 1-4, 11, 12, discloses a jumper cable providing a power infeed to the electrical receptacle.
7. Regarding claim 11, Russell, see figures 1-4, 11, 12, discloses a distributed harness providing a power infeed to the electrical receptacle.
8. Regarding claim 12, Russell, see figures 1-4, 11, 12, discloses the jumper 62 is removable from the electrical receptacle.

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 7, 9, 29 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Russell.
11. Regarding claims 7, 29, Russell discloses the claimed invention except for the jumper include a jumper terminal, at least one of the plurality of connector terminal include a resilient arc, the jumper terminal is received the resilient arc. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the jumper include a jumper terminal, at least one of the plurality of connector terminal include a resilient arc so as to provide for easy pin to socket connection.

Art Unit: 2839

12. Regarding claims 9, 31, Russell, see figures 1-4, 11, 12, discloses the claimed invention except for at least one of the plurality of receptacle terminal includes a resilient arc, the jumper is received in the resilient arc. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use socket such 166 for receptacle terminals to be engaged by a pin of the jumper such socket 166 defining resilient arc so as to provide for easy pin to socket connection.

13. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Russell.

14. Regarding claim 5, Russell, see figures 1-4, 11, 12, discloses the claimed invention except for an indicia on the electrical receptacle including one of the plurality of connector terminals being connected to one of the plurality of receptacle terminals. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Russell to provide indicia on receptacle because this could be pencil mark on receptacle and would be obvious variation to aid technicians working with the equipment.

Allowable Subject Matter

15. Claims 3-4, 25-26 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant argues that, neither Russell or any of the other recited references, alone or in combination, disclose or suggest "an electrical receptacle ... comprising: a

Art Unit: 2839

connector having a plurality of connector terminals; a plurality of receptacle terminals and at least one jumper providing connection from one of the plurality of said plurality of receptacle terminals to one of said plurality of connector terminals...". The Examiner respectfully disagrees. See the figures 3 and 11. The claim 1, lines 6 and 7, "receptacle opening" as broadly set forth need not be these on the front face of module 37 and are readable on those at 258, 260, figure 11, which are on a side opposite to the jumper.

Conclusion

16. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phuong KT Dinh whose telephone number is 571-272-2090. The examiner can normally be reached on 8 -5, 5 days a week.

Art Unit: 2839

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, TC Patel can be reached on 571-272-2098. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Phuong Dinh', with a stylized flourish extending from the end.

Phuong Dinh
December 14, 2005

Phuong KT Dinh
Primary Examiner
Art Unit 2839